

Danny Schneller Foundation
www.dannyschneller.org

Update: August 18, 2011*

Association of BMD and FRAX Score With Risk of Fracture in Older Adults With Type 2 Diabetes

JAMA

<http://jama.ama-assn.org/content/305/21/2184.abstract>

Sleep-Disordered Breathing, Hypoxia, and Risk of Mild Cognitive Impairment and Dementia in Older Women

JAMA

<http://jama.ama-assn.org/content/306/6/613.full>

Ten-Year Outcome of Subthalamic Stimulation in Parkinson Disease

Archives of Neurology

<http://archneur.ama-assn.org/cgi/content/short/archneurol.2011.182>

Association of Low Ejection Fraction With Impaired Verbal Memory in Older Patients With Heart Failure

Archives of Neurology

<http://archneur.ama-assn.org/cgi/content/short/68/8/1021>

More vision problems with HTN and diabetes

The Microperimetry of Resolved Cotton-Wool Spots in Eyes of Patients With Hypertension and Diabetes Mellitus

Archives of Ophthalmology

<http://archopht.ama-assn.org/cgi/content/abstract/129/7/879>

Healthy Lifestyles Related to Subsequent Prevalence of Age-Related Macular Degeneration

Archives of Ophthalmology

<http://archopht.ama-assn.org/cgi/content/abstract/129/4/470>

Fish oil seems to reduce risk of AMD

Dietary -3 Fatty Acid and Fish Intake and Incident Age-Related Macular Degeneration in Women

Archives of Ophthalmology

<http://archopht.ama-assn.org/cgi/content/abstract/129/7/921>

Vitamin D Status and Early Age-Related Macular Degeneration in Postmenopausal Women

Archives of Ophthalmology

<http://archopht.ama-assn.org/cgi/content/abstract/129/4/481>

*We are e-mailing you these links to alert you that the articles have appeared in the source indicated. We are not certifying accuracy. We do not practice medicine or offer medical advice. We leave it to each reader to determine accuracy, appropriateness, and need for modification/individualization for a given client/client population.

Danny Schneller Foundation
www.dannyschneller.org

Update: September 1, 2011*

Hip fracture risk and PPIs

Proton Pump Inhibitor Use and the Antifracture Efficacy of Alendronate

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/11/998>

Laparoscopic Antireflux Surgery vs Esomeprazole Treatment for Chronic GERD

JAMA

<http://jama.ama-assn.org/content/305/19/1969.abstract>

Serum Insulinlike Growth Factor 1 as Possible Marker for Risk and Early Diagnosis of Parkinson Disease

Archives of Neurology

<http://archneur.ama-assn.org/cgi/content/abstract/68/7/925>

Levodopa-induced dyskinesia (LID)

Resting Tremor in Parkinson Disease

Archives of Neurology

<http://archneur.ama-assn.org/cgi/content/short/68/8/1037>

Cranberries vs Antibiotics to Prevent Urinary Tract Infections

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/14/1270>

Sodium and Potassium Intake and Mortality Among US Adults

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/13/1183>

Did NOT prevent bone loss

Soy Isoflavones in the Prevention of Menopausal Bone Loss and Menopausal Symptoms

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/15/1363>

Association Between Disease-Modifying Antirheumatic Drugs and Diabetes Risk in Patients With Rheumatoid Arthritis and Psoriasis

JAMA

<http://jama.ama-assn.org/content/305/24/2525.abstract>

*We are e-mailing you these links to alert you that the articles have appeared in the source indicated. We are not certifying accuracy. We do not practice medicine or offer medical advice. We leave it to each reader to determine accuracy, appropriateness, and need for modification/individualization for a given client/client population.

Danny Schneller Foundation
www.dannyschneller.org

Update: September 15, 2011*

Fatal and Nonfatal Outcomes, Incidence of Hypertension, and Blood Pressure Changes in Relation to Urinary Sodium Excretion

JAMA

<http://jama.ama-assn.org/content/305/17/1777.abstract>

Nighttime BP, importance of

Prognostic Role of Ambulatory Blood Pressure Measurement in Patients With Nondialysis Chronic Kidney Disease

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/12/1090>

Detection of Chronic Kidney Disease With Creatinine, Cystatin C, and Urine Albumin-to-Creatinine Ratio and Association With Progression to End-Stage Renal Disease and Mortality

JAMA

<http://jama.ama-assn.org/content/305/15/1545.abstract>

Mortality Rate in Patients With Diastolic Dysfunction and Normal Systolic Function

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/12/1082>

Risk of Death and Cardiovascular Events in Initially Healthy Women With New-Onset Atrial Fibrillation

JAMA

<http://jama.ama-assn.org/content/305/20/2080.abstract>

Association of Copeptin and N-Terminal proBNP Concentrations With Risk of Cardiovascular Death in Older Patients With Symptoms of Heart Failure

JAMA

<http://jama.ama-assn.org/content/305/20/2088.abstract>

Anticoagulant Options — Why the FDA Approved a Higher but Not a Lower Dose of Dabigatran

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMp1103050>

*We are e-mailing you these links to alert you that the articles have appeared in the source indicated. We are not certifying accuracy. We do not practice medicine or offer medical advice. We leave it to each reader to determine accuracy, appropriateness, and need for modification/individualization for a given client/client population.

Danny Schneller Foundation
www.dannyschneller.org

Update: October 3, 2011*

Apixaban versus Warfarin in Patients with Atrial Fibrillation

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1107039>

Rivaroxaban versus Warfarin in Nonvalvular Atrial Fibrillation

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1009638>

Apixaban with Antiplatelet Therapy after Acute Coronary Syndrome

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1105819>

Hip Fracture and Increased Short-term but Not Long-term Mortality in Healthy Older Women

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/full/archinternmed.2011.447>

Bisphosphonate Use and Atypical Fractures of the Femoral Shaft

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1010650>

Free full text: Insulin role in Alzheimer Disease

Intranasal Insulin Therapy for Alzheimer Disease and Amnesic Mild Cognitive Impairment

Archives of Neurology

<http://archneur.ama-assn.org/cgi/content/full/archneurol.2011.233>

longer duration use of nonaspirin NSAIDs and the risk of RCC?

Prospective Evaluation of Analgesic Use and Risk of Renal Cell Cancer

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/16/1487>

Preventing Pressure Ulcers in Long-term Care

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/short/archinternmed.2011.473>

*We are e-mailing you these links to alert you that the articles have appeared in the source indicated. We are not certifying accuracy. We do not practice medicine or offer medical advice. We leave it to each reader to determine accuracy, appropriateness, and need for modification/individualization for a given client/client population.

Danny Schneller Foundation
www.dannyschneller.org

Update: October 18, 2011*

Possible increased risk

Vitamin E and the Risk of Prostate Cancer

JAMA

<http://jama.ama-assn.org/content/306/14/1549.short>

Suggests best initial age of screening may vary by sex

Sex-Specific Prevalence of Adenomas, Advanced Adenomas, and Colorectal Cancer in Individuals Undergoing Screening Colonoscopy

JAMA

<http://jama.ama-assn.org/content/306/12/1352.abstract>

Effect of a Dietary Portfolio of Cholesterol-Lowering Foods Given at 2 Levels of Intensity of Dietary Advice on Serum Lipids in Hyperlipidemia

JAMA

<http://jama.ama-assn.org/content/306/8/831.abstract>

Dietary Fiber Intake and Mortality in the NIH-AARP Diet and Health Study

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/12/1061>

Lifestyle Modification and Prevention of Type 2 Diabetes in Overweight Japanese With Impaired Fasting Glucose Levels

Archives of Internal Medicine

<http://archinte.ama-assn.org/cgi/content/abstract/171/15/1352>

One of the living groups has some residents with hepatitis C from surgeries that predate current blood screening protocols. These next three items are for that living group.

Telaprevir for Previously Untreated Chronic Hepatitis C Virus Infection

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1012912>

Telaprevir for Retreatment of HCV Infection

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1013086>

Response-Guided Telaprevir Combination Treatment for Hepatitis C Virus Infection

NEJM

<http://www.nejm.org/doi/full/10.1056/NEJMoa1014463>

*We are e-mailing you these links to alert you that the articles have appeared in the source indicated. We are not certifying accuracy. We do not practice medicine or offer medical advice. We leave it to each reader to determine accuracy, appropriateness, and need for modification/individualization for a given client/client population.